



**HARYANA STATE POLLUTION CONTROL BOARD**  
Faridabad Region, Opp. Hewo Appmt., Sector-16A, Faridabad  
Website: [www.hspcb.gov.in](http://www.hspcb.gov.in) Email: [hspcbrofr@gmail.com](mailto:hspcbrofr@gmail.com)



NO. HSPCB/FR/2023/

To

Dated:

The Sr. Environmental Engineer -IT (HQ),  
Haryana State Pollution Control Board,  
Panchkula.

**Sub:** Regarding information of M/s BEE K BEE Prints Pvt. Ltd., P. No. 160, DLF Industrial Area, Phase-I, Faridabad having HROCMMS ID 14FDBD1340881.

In this connection, it is submitted that the desired information as asked by your office.

Sr. No.	Detail of Unit	Remarks
1.	Name & address of unit	M/s BEE K BEE Prints Pvt. Ltd., P. No. 160, DLF Industrial Area, Phase-I, Faridabad having HROCMMS ID 14FDBD1340881.
2.	HROCMMS ID	14FDBD1340881.
3.	Latitude & Longitude of unit	28.45393, 77.312412
4.	Operational Status	Dismantled
5.	Status of consent/ authorization under HWM Rules	01/04/2017 - 30/09/2021
6.	Request letter for permanent closure of unit, if available	Not available
7.	Date of dismantling of unit if available	Unit was inspected on dated 03.01.2023 and found completely dismantled from the site.
8.	Photographic evidence of dismantled unit, if available	Photograph attached.
9.	Recommendation	The site was inspected by the concerned field officer on dated 03.01.2023 and during inspection unit was found dismantled from the site (Inspection Report attached). In view of above, it is recommended that HROCMMS ID of M/s BEE K BEE Prints Pvt. Ltd., P. No. 160, DLF Industrial Area, Phase-I, Faridabad may be deleted as the unit is dismantled.

DA/as above

Signed by Smita Kanodia  
Date: 05-01-2023 10:22:19  
Reason: ~~Regional Officer~~  
Faridabad Region

## HARYANA STATE POLLUTION CONTROL BOARD

### SPOT INSPECTION REPORT OF THE INDUSTRIES

#### A General Information of unit

- 1 Name & Address of the unit : M/s Bee K Bee Prints Pvt Ltd  
P.No. 160 DLF Industrial Area  
Faridabad
- 2 Email id of the unit/ occupier : \_\_\_\_\_
- 3 Telephone Nos. : \_\_\_\_\_
- 4 Fax Nos. : \_\_\_\_\_
- 5 Date & Time of Inspection : 03/01/2023
- 6 Category Unit : Red / Orange / Green
- 7 Type of Units : 17 Cat./Seriously Polluting/ other
- 8 Size of unit based upon investment cost of Plant & Machinery : Large / Medium / Small
- 9 Name of the representative of the unit with Designation present at the time of the inspection : During visit, unit found dismantled from site & building found in abandoned conditions.
- 10 Name of the Directors/partners/Proprietor/ Manager/ Occupier etc. : \_\_\_\_\_
- 11 Detail of products /by product manufactured : \_\_\_\_\_
- 12 Detail of Raw Material used (with quantity per annum) : \_\_\_\_\_
- 13 Manufacturing Process (in brief) : \_\_\_\_\_
- 14 Detail of Machinery installed involving polluting process: \_\_\_\_\_
- 15 Date of commissioning of unit : \_\_\_\_\_
- 16 Status of Consent to Establish : \_\_\_\_\_
- 17 Status of Consent to Operate : 1/4/2012 to 30/9/2021
- 18 Status of Authorization under HWM Rules : \_\_\_\_\_

#### B Air Pollution

- 1 Sources of air emission from process of unit including Fugitive emission with type of Boilers / Furnace, Capacity & stack height. : \_\_\_\_\_
- 2 Status of online monitoring System (Stacks/ AAQ) If applicable : \_\_\_\_\_
- 3 Details about deviation in the details / stack of Air Emission / type of fuel if any already provided to : \_\_\_\_\_

- 5 Whether Height of all stacks /Chimneys as per norms :
- 6 Capacity of D.G Sets :
- 7 Stack height of D.G Sets above programme and Whether as per norms :
- 8 Status of Acoustic Enclosure on D.G Sets :
- 9 Noise results of DG Sets Monitored during inspection :
- 10 Type & Quantity of Fuel used Separate for each source) :
- 11 Status of Air Pollution Control Devices (APCD) :
  - (a) Required or Not :
  - (b) Provided or Not :
  - (c) Detail of APCD provided with detail of all Components. :
  - (d) Whether Structurally adequate or Not :
  - (e) Whether operating APCD Satisfactorily :
- 12 Whether provided separate flow meters in case of wet scrubber :
- 13 Whether maintained Log Book for consumption of / Chemicals / water for APCD. :
- 14 Detail of treatment of effluent in case of wet scrubber its mode of disposal. :
- 15 Whether provided Sampling arrangements on all stacks /chimneys including DG sets. :
- 16 General Remarks :

**C Water Consumption**

- 1 Sources of water supply :
- 2 Detail of measuring devices provided if any such as flow : Meters, V- notch etc. :
- 3 Whether measuring devices has been sealed :
- 4 Whether maintained the log book for supply of water From all sources & consumption for various uses :
- 5 Detail of Water Consumption per day / month :
  - (a) Domestic Purpose :
  - (b) Boiler / Cooling :

During visit, unit found dismantled from site building in abandoned conditions.

7119

(C) Industrial use (Easily Biodegradable)

(d) Industrial use (Not Easily Biodegradable)

(e) Other

6 General Remarks

**D Water Pollution**

1 Source &amp; processes of Water Pollution Including raw water treatment if any

2 No. of outlets for discharge of effluent

3 Quality of Effluent in KLD

4 Status of Effluent Treatment Plant (ETP)/  
Sewage Treatment Plant (STP)

(a) Required or Not:

(b) Installed or Not

(c) Detail of STP / ETP Provided (if required) with  
Detail of all components and technology used

(d) Whether structurally adequate or Not

(e) Whether operating STP/ETP Satisfactorily

(f) Whether provided online chemical dosing system/  
pH meter

5 Mode of Discharge of effluent

6 Name of Water recipient body if any

7 Detail of land in case effluent is discharged for  
Percolation / irrigation purpose with justification for  
its 100% utilization.

8 Status of ZLD as per CPCB directions if applicable

9 Whether provided flow meters on outlet & inlet on  
ETP/ STP10 Whether provided separate electricity meter on  
ETP/ STP11 Whether maintained Log Book for consumption of  
Electricity / Chemicals / Quantity of effluent.

Domestic

Trade

Domestic

Trade

STP

ETP

Domestic

Trade

12 Status of online monitoring System, if applicable  
13 General Remarks

**E Hazardous Waste Management**

1 Category of Hazardous Waste generated as per Rules

2 Type & Qty. of Hazardous Waste generated

(i) Incinerable

(ii) Recyclable

(iii) Disposable  
for landfill

(iv) Total

3 Stock-pile Quantity of Hazardous Waste

4 Mode of Disposal & treatment of Haz. Waste

5 Size of Hazardous waste storage site

6 Display board for Hazardous Waste at Factory Gate  
Provided or Not

7 Whether agreement made with the service provider  
For disposal of Hazardous waste (if yes, give detail with  
Validity

8 Details of Hazardous Waste transported to service  
Provider

**F Hazardous Chemicals Handling & Management and PLI Act, 1991**

1 List & Qty. of Hazardous chemical handled & used  
(if any) with threshold quantity

2 Whether prepared on site emergency plan and taken  
Insurance Policy under PLI Act, 1991

3 Name of insurer agency with date & validity of policy

4 Whether Hazardous chemicals handling & storage  
Facility is adequate

5 Remarks

No Body found during  
inspection

During visit, unit  
found dismantled

from site, Building  
found in abandoned condition

Signature of the representative of the unit  
Name Designation & Address  
Inspection

Signature of the Officer / Officers  
of the Board who conducted the

Name & Designation



GPS Map Camera

**Faridabad, Haryana, India**

156, I P Colony, Block F, Spring Field Colony,  
Sector 32, Faridabad, Haryana 121003, India

Lat 28.45393°

Long 77.312412°

03/01/23 10:48 AM GMT +05:30

Google