

I/146860/2022
2584644/2023/IT_Cell

7060

Regional Office, Gurugram (S)
Haryana State Pollution Control Board
3rd Floor, HSIIDC Complex, IMT Manesar, Gurugram
Website – www.hspcb.gov.in E-Mail - hspcbrogrs@gmail.com
Tele No. 0124-2290207, 0124-2290208

Kind Attn: Senior Environmental Engineer –IT (HQ)

To
The Member Secretary
Haryana State Pollution Control Board
Panchkula

Sub: Regarding information of M/s JSK Technologies Solutions Private Limited, Industrial Shed Nos. 65-66, Udyog Kunj, Alipur, Sohna Road, Gurugram having HROCMMS ID 19GUSO144909.

Ref: Head Office letter no. IT-34D/14 dated 16-04-2021.

In this connection, it is submitted that as per the inspection conducted by the field officer, the above said unit was found dismantled. Therefore status of the unit may be updated in HROCMMS as dismantled unit. The detail is as under:-

1.	Name & Address Of The Unit	M/S JSK Technologies Solutions Private Limited, Industrial Shed Nos. 65-66, Udyog Kunj, Alipur, Sohna Road, Gurugram
2.	HROCMMS ID	19GUSO144909
3.	Latitude & Longitude of the unit	28.32775 N, 77.062978 E
4.	Operational Status	Dismantled
5.	Status of consent / authorization under HWM Rules	19.07.2019 TO 31.03.2024
6.	Request letter permanent closure of unit, if available	Letter Received on dated 27.04.2022
7.	Date of dismantling of unit, if available	23.11.2022
8.	Photographic evidence of dismantling unit, if available	Not Available
9.	Recommendation	Sh. Sidharth Bhargava AEE, Field Officer, HSPCB Gurugram Region South has conducted inspection on dated 23.11.2022 and during inspection it was found that the said unit has dismantled from the site. Also revocation order of CTO received from head office vide letter No. (copy same attached)Therefore status of the unit may be updated in HROCMMS as dismantled unit.

Submitted for kind information and further necessary action please.

DA/Inspection report, revocation order of CTO & Unit Request letter

Signed by Sandeep Singh

Date: 26-12-2022 11:00:12

Reason: Approved
Regional Officer
Gurugram Region (S)

7061

HARYANA STATE POLLUTION CONTROL BOARD

SPOT INSPECTION REPORT OF THE INDUSTRIES

A.General Information of the unit

1. Name & Address of the unit : M/s JSR Technologies Solution Pvt. Ltd Industrial Shed No 65-66, Vidyut Kunj, Alipur Badli, Gurgaon
2. Email ID of the unit/ occupier : jsrtechnologies@gmail.com
3. Telephone No. : 9871112113
4. Fax Nos. : 9871112113
5. Date & Time of Inspection : 23/11/2023
6. Category of the unit : Red/ Orange/ Green
7. Type of Industries : 17 Cat/Seriously Polluting/ Others
8. Size of unit based upon investment cost of plant & machinery : Small
9. Name of representative of unit with designation present at the time of inspection : Sh. Sandeep Malik, Director
10. Name of Directors/partners/proprietor/ Manger/ Occupier etc. : As per unit
11. Detail of products/ by product manufactured (with capacity of installation & quantity per annum) : Aloe Vera Scaps
12. Detail of raw material used (with quantity per annum) : Aloe Vera extract, Lather, Turmeric filler
13. Manufacturing process : Mixing of above ingredients
14. Detail of Machinery installed involving polluting process : Mixers
15. Date of Commissioning of the unit : As per record - 01/06/19
16. Status of Consent to Establish : Obtained
17. Status of Consent to Operate : 31/03/2024
18. Status of Authorization under HWM Rules :

Air PollutionB.

1. Source of air emission from the process of the unit including fugitive emission with type boilers/ Furness, capacity & stack height : NIL
2. Status of online monitoring status system (Stack/AAQ) if applicable : NA
3. Detail about derivation in the details/ stack of Air emission/ type of fuel if any already provided to Board :
4. Detail of Stacks/ Chimneys/ Vente :
5. Whether Height of all stacks/ chimney as per norms :
6. Capacity of DG sets :

7062

7. Stack Height of DG sets above programme and whether as per norms
8. Status of Acoustic Enclosure on DG Sets
9. Noise results DG sets Monitored during inspection
10. Type of Quantity of Fuel Used
(Separate for each source)
11. Status of Air Pollution Control Devices (APCD)
 - (a) Required or Not
 - (b) Provided or Not
 - (c) Details of APCD provided with detail of all components
 - (d) Whether structurally adequate or Not
 - (e) Whether operating APCD satisfactorily
12. Whether provided separate flow meters in case of wet scrubber
13. Whether maintained Log Book for consumption of Electricity/ Chemicals/ water for APCD
14. Detail of treatment of effluent in case of wet scrubber & its mode of disposal
15. Whether provided Sampling arrangements on all stacks chimneys including DG sets
16. General Remarks

10/11

C

Water Consumption

1. Source of Water Supply
2. Detail of measuring devices provided if any such as Flow Meters, V-notch etc.
3. Whether measuring devices has been sealed
4. Whether maintained the log book for supply of water from all sources & consumption for various uses
5. Detail of water consumption per day/month
 - (a) Domestic Purpose
 - (b) Boiler/ Cooling
 - (c) Industrial use (Easily Biodegradable)
 - (d) Industrial use (Not easily Biodegradable)
 - (e) Other
6. General Remarks

HSIIDC supply
Meter Provided

Yes
Yes

0.6 KLD

2/11/23

DWater Pollution

1. Source & processes of water pollution including raw water treatment if any
2. No. of outlet for discharge of effluent
3. Quantity of Effluent in KLD
4. Status of Effluent Treatment Plant (ETP)/ Sewage Treatment Plant (STP)
 - (a) Required or Not
 - (b) Installed or Not
 - (c) Detail of STP/ETP provided (if required) with detail of all components and technology used
 - (d) Whether structurally adequate or not
 - (e) Whether operating STP/ETP satisfactorily
 - (f) Whether provided online chemical dosing system/pH meter
5. Mode of Discharge of Effluent
6. Name of Water recipient body if any
7. Detail of land in case effluent is discharged for percolation/ irrigation purpose with justification for its 100% utilization
8. Status of ZLD as per CPCB direction if applicable
9. Whether provided flow meters on outlet & inlet of ETP/ STP
10. Whether provided separate meter on ETP/ STP
11. Whether maintained log book for consumption of Electricity/ Chemicals/ Quantity of effluent
12. Status of online monitoring system, if applicable
13. General Remarks

Domestic only 7 Sewer

Domestic: 1
Trade: 1200Domestic: 6 KLD
Trade: 1200

STP

Not Provided ETP

NA

Domestic: Sewer
Trade: NAHazardous Waste Management

1. Category of Hazardous Waste generated as per rules
2. Type & Qty of Hazardous Waste
 - (i) Incinerable
 - (ii) Recyclable
 - (iii) Disposable for landfills
 - (iv) Total

NA


4064


3. Stock-Pile Quantity of Hazardous Waste :
4. Mode of disposal & treatment of Hazardous Waste :
5. Size of Hazardous Waste storage site : NA
6. Display Board for Hazardous Waste at Factory gate provided or not :
7. Whether agreement made with the service provider for disposal of Hazardous Waste (if yes, give detail with validity) :
8. Details of Hazardous Waste Transported to service provider :

FHazardous Chemical Handling & Management and PLI Act, 1991

1. List of Qty. of Hazardous chemical handled & used (if any) with threshold quantity :
2. Whether prepared on site emergency plan and taken Insurance Policy under PLI Act, 1991 :
3. Name of Insurer agency with date & validity of policy :
4. Whether Hazardous Chemicals handling & storage facility is adequate :
5. Remarks

Remarks - The unit has closed its operations & dismantled plant & machinery from site.


Signature of the representative of the unit
Name, Designation & Address


Signature of the Officer/ Officers of the Board who
conducted the inspection

A.E. E



Haryana State Pollution Control Board
C-11, SECTOR-6, PANCHKULA
PHONE:-0172-2577870-73, FAX-NO-2581201
E-mail:-hspcbho@gmail.com
Website:-HSPCB.GOV.IN, HROCMMS.NIC.IN

Cancellation/ Withdrawal of Consent to Operate

Whereas, JSK TECHNOLOGIES SOLUTIONS PRIVATE LIMITED, INDUSTRIAL SHED NOS. 65-66, UDYOG KUNJ, ALIPUR, SOHNA ROAD, GURUGRAM - 122001, HARYANA has operating a manufacturing of Aleo vera soap at INDUSTRIAL SHED NOS. 65-66, UDYOG KUNJ, ALIPUR, SOHNA ROAD, GURUGRAM - 122001, HARYANA and is polluting in nature.

Whereas, Consent to Operate under Water (Prevention and Control of Pollution) Act, 1974 / Air (Prevention and Control of Pollution) Act, 1981 was granted by this Board vide letter no 6725815 dated 21-08-2019 to the above said unit.

Whereas, Regional Officer Gurgaon South of the Board vide his letter number HSPCB/GUR/2022/RO/INS/30852469RCTO001 dated 21-12-2022 has intimated that the above said unit has made the violations of the conditions of CTO granted as mentioned above and the provisions of the Water Act, 1974 / Air Act, 1981 as per details given below:-

Violations:

1. During visit on 23.11.2022, it was found that unit has closed its operations and dismantled the plant the machinery.

Whereas, Show Cause Notice for cancellation/ withdrawal of Consent to Operate Water (Prevention and Control of Pollution) Act, 1974 / Air (Prevention and Control of Pollution) Act, 1981 was issued to the unit by Regional Officer Gurgaon South vide his letter number HSPCB/GUR/2022/INS/30852469SCNCR001 dated 29-11-2022 but the unit has not submitted the reply;

Thus the above said unit has violated the provisions of Water (Prevention and Control of Pollution) Act, 1974 / Air (Prevention and Control of Pollution) Act, 1981 by detail of violation mentioned above and Regional Officer, Gurgaon South has accordingly recommended for cancellation/ withdrawal of Consent to Operate under Water (Prevention and Control of Pollution) Act, 1974 / Air (Prevention and Control of Pollution) Act, 1981 vide his letter no. HSPCB/GUR/2022/RO/INS/30852469RCTO001 dated 21-12-2022.

Therefore, considering the recommendation of Regional Officer, Gurgaon South and keeping in view the above said facts, the Consent to Operate granted by the Board to the above said unit vide letter no. 6725815 dated 21-08-2019 under section 21 of Air (Prevention & Control of Pollution) Act, 1981 / 25 of Water

(Prevention & Control of Pollution) Act, 1974 is hereby cancelled/ withdrawal with immediate effect.

Dated Panchkula, the
21-12-2022

Chairman

Endst. No.:
HSPCB/GUR/2022/INS/30852469CTOW001-002

Dated: 22-12-2022

A copy of the above is forwarded to the following for information and necessary action:-

1. The Regional Officer, Gurgaon South in reference to his letter no HSPCB/GUR/2022/RO/INS/30852469RCTO001 21-12-2022. He is asked to initiate the legal/ closure action against the above said unit in view of revocation of Consent to Operate immediately and to submit compliance report in this regard within 03 days positively.

2. JSK TECHNOLOGIES SOLUTIONS PRIVATE LIMITED INDUSTRIAL SHED NOS. 65-66, UDYOG KUNJ, ALIPUR, SOHNA ROAD, GURUGRAM - 122001, HARYANA

JATINDE
RPAL
SINGH
J P Singh

Digitally signed
by JATINDERPAL
SINGH
Date: 2022.12.22
12:12:57 +05'30'

, Sr Environment Engineer
Branch Incharge (HQ)
For Chairman

7258464

PUNYA

Date: 27-04-2022

To,

The Regional Officer,
Gurgaon South,
Haryana State Pollution Control Board
4th Floor, HSPCB Office Complex
IMT Manesar,
Gurgaon, Haryana

SUB: WITHDRAWAL OF CONSENT TO OPERATE - M/S. JSK TECHNOLOGIES SOLUTIONS PVT. LTD., INDUSTRIAL SHED NOS. 65-66, UDYO KUNI ALAPUR, SOUNA ROAD, GURUGRAM - 122001, HARYANA

Ref: Consent To Operate No. HSPCB/Consent/: 313114119GUSOCT06725815 dated 21.08.2019

Dear Sir,

With reference to the captioned subject this is to apprise you that we, M/S JSK Technologies Solutions Pvt. Ltd. were issued the Consent to Operate vide No. HSPCB/Consent/: 313114119GUSOCT06725815 dated 21.08.2019 at our premises located at Industrial Shed Nos. 65-66, Udyog Kuni Alapur, Soana Road, Gurugram - 122001, Haryana. In this regard, we hereby submit that due to loss of business at a no future orders due to ongoing Covid-19 Pandemic, our company has permanently stopped the manufacturing operations at the above premises from a long time. Therefore, we hereby **withdraw** our Consent to Operate of the above premises and request you to kindly consider our manufacturing operations stopped at the above premises with immediate effect and cancel the above mentioned Consent to Operate.

In view of above, we hope you will find the above submissions in order and shall update the same in your records.

Thanking you
Yours faithfully,

For JSK TECHNOLOGIES SOLUTIONS PVT. LTD.

Auth/Signatory

JSK Technologies Solutions Private Limited.

Corporate Office: 1st Floor, 2nd Phase, Sector 14, Gurgaon, Haryana - 122001. Tel: 0124-4801903
Fax: 0124-4801904. Email: info@jsksolutions.com

Registered Office: Khata No. 1828, Fawazpur, Near, Fari & Food Village, New Delhi - 110037.

JSK Technologies Solutions Pvt. Ltd. is a private company registered in India. It is a subsidiary of JSK Technologies Solutions Pvt. Ltd. (India) Pvt. Ltd. (JSK India Pvt. Ltd.) which is a private company registered in India. JSK India Pvt. Ltd. is a subsidiary of JSK Technologies Solutions Pvt. Ltd. (India) Pvt. Ltd. (JSK India Pvt. Ltd.) which is a private company registered in India.



HARYANA STATE POLLUTION CONTROL BOARD

Haryana State Pollution Control Board, 3rd Floor, HSIIDC Office Complex, IMT Manesar, Gurugram

E-mail: hspcb.pkl@sify.com

No. HSPCB/Consent/ : 313114119GUSOCTO6725815

Dated:21/08/2019

To.

M/s :JSK TECHNOLOGIES SOLUTIONS PRIVATE LIMITED
INDUSTRIAL SHED NOS. 65-66, UDYOG KUNJ, ALIPUR, SOHNA ROAD,
GURUGRAM - 122001, HARYANA

Subject: Grant of consent to operate to M/s JSK TECHNOLOGIES SOLUTIONS PRIVATE LIMITED.

Please refer to your application no. 6725815 received on dated 2019-07-19 in regional office Gurgaon South. With reference to your above application for consent to operate, M/s JSK TECHNOLOGIES SOLUTIONS PRIVATE LIMITED is hereby granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	19/07/2019 - 31/03/2024
Industry Type	Synthetic detergents and soaps(excluding formulation)
Category	ORANGE
Investment(In Lakh)	8.0
Total Land Area(Sq. meter)	132.0
Total Builtup Area(Sq. meter)	132.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.6 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Public Sewer
2. Trade	0
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	
1. N.A.	
Emission parameters	
1. NA	

Product Details	
1. Aloe Vera Soap	0.00025 Metric Tonnes/day
Capacity of boiler	
1. N.A.	Ton/hr
Type of Furnace	
1. N.A.	
Type of Fuel	
1. NA	
Raw Material Details	
Aloe Vera Extract	0.5 Kilo Liters/Day
Neem Extract	0.1 Kilo Liters/Day
Coconut Butter	50 Kg/Day
Turmeric	100 Kg/Day

Regional Officer, Gurgaon South
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

7070

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. The inspection of the unit will be carried out by HSPCB within a period of 03 months of grant of this first Consent to Operate / Authorization for collection of samples of effluent/air emission/noise as applicable. 2. In case the analysis report of samples of Air/effluent/noise so collected are found complying the standards prescribed under EP Rules, 1986, the 1st CTO so granted will remain valid for the period of CTO for which it has been granted based upon the category of the unit or as was demanded by the unit in case of failure of sample the 1st CTO so granted will be revoked.

Shakti Singh Digitally signed by Shakti Singh
Date: 2019.08.21 13:11:13 +05'30'
Regional Officer, Gurgaon South
Haryana State Pollution Control Board.