

28250117/2023AT_Cell

9140

Haryana State Pollution Control Board

REGIONAL OFFICE, DHARUHERA REGION AT SCO D6 & D7, SUNCITY COMMERCIAL COMPLEX, FIRST FLOOR, A-BLOCK, REWARI

Tele Fax: 01274-244241

E-Mail: hspcbromg@gmail.com

To

The Senior Environment Engineer (IT)
Haryana State Pollution Control Board
Panchkula

Sub: Regarding information of M/s Amartex India Ltd., Plot No. 72, Ind. area, Dharuhera having HROCMMS ID 14REW821941.

Ref: Head Office letter no. IT-34D/14 dated 16-04-2021

In this connection, it is submitted that as per the inspection conducted by the field officer, the above said unit was found dismantled. Therefore status of the unit may be updated in HROCMMS as dismantled unit. The detail is as under:-

1	Name & address of the unit	M/s Amartex India Ltd., Plot No. 72, Ind. area, Dharuhera
2	HROCMMS ID	14REW821941
3	Latitude & Longitude of the unit	--
4	Operational Status	Dismantled
5	Status of consent / authorization under HWM Rules	CTO Valid upto 31.03.2015.
6	Request letter permanent closure of unit, if available	NA, as no request submitted
7	Date of dismantling of unit, if available	22.02.2023
8	Photographic evidence of dismantling unit, if available	Photographs attached.
9	Recommendation	Sh. Harish Kumar, AEE Field Officer, HSPCB Dharuhera Region has conducted inspection on 22.02.2023 and during inspection it was found that the said unit has dismantled from the site. Therefore status of the unit may be updated in HROCMMS as dismantled unit.

Submitted for kind information and further necessary action please.

DA/Inspection report/photos

Signed by Vinod Balyan

Date: 16-03-2023 15:13:56

Regd Reasonable Approved
Dharuhera Region

2825011/2023/IT_Cell

HARYANA STATE POLLUTION CONTROL BOARD
SPOT INSPECTION REPORT OF THE INDUSTRIES

Annexure-A

A. General Information of unit	:
1. Name & Address of the unit	: M/s. Pramod Ind. Ltd. Plot No. 12, T.N. Phatihara, Rewari
2. Email id of the unit/occupier	:
3. Telephone No.	:
4. Fax Nos.	:
5. Date & Time of inspection	: 22/02/2023
6. Category Unit	: Red / Orange / Green
7. Type of Units	: 17 C.I. / Seriously Polluting / others
8. Size of unit based upon investment cost of Plant & Machinery	: Large / Medium / Small
9. Name of the representative of the unit with Designation present at the time of the inspection	:
10. Name of the Directors/partners/Proprietor/ Manager / Occupier etc.	:
11. Detail of products / by product manufactured (with capacity of installation & quantity per annum)	:
12. Detail of Raw Material used (with quantity per annum)	:
13. Manufacturing Process (in brief)	:
14. Detail of Machinery installed involving polluting Process	:
15. Date of Commissioning of the unit	:
16. Status of Consent to Establish	: (Unit has already been characterized from
17. Status of Consent to Operate	:
18. Status of Authorization under HWM Rules	: Site.
B. Air Pollution	
1. Sources of air emissions from process of unit including Fugitive emissions with type of Boilers/Furnaces, Capacity & stack height,	:
2. Status of online monitoring System (Stacks/AAQ) if applicable	:
3. Details about deviation in the details/ stack of Air emission /type of fuel if any already provided to Board,	:
4. Detail of Stacks / Chimneys / Vents	:
5. Whether Height of all stacks / Chimneys as per norms:	:
6. Capacity of D.G. Sets	:
7. Stack height of D.G. Sets above programme and Whether as per norms	:
8. Status of Acoustic Enclosure on D.G. Sets	:
9. Noise results of DG Sets Monitored during inspection	:
10. Type of Quantity of Fuel used (Separate for each source)	:
11. Status of Air Pollution Control Devices (APCD)	:
(a) Required or Not	:
(b) Provided or Not	:
(c) Detail of APCD provided with detail of all Components	:
(d) Whether Structurally adequate or Not	:
(e) Whether operating APCD Satisfactorily	:
12. Whether provided separate flow meters in case of wet Scrubber	:
13. Whether maintained Log Book for consumption of Electricity / Chemicals / water for APCD	:
14. Detail of treatment of effluent in case of wet scrubber & its mode of disposal	:
15. Whether provided Sampling arrangements on all Stacks / Chimney including DG Sets	:
16. General Remarks	:
C. Water Consumption	
1. Sources of water supply	:
2. Detail of measuring devices provided if any such as flow Meters, V-notch etc.	:
3. Whether measuring devices has been sealed	:
4. Whether maintained the log book for supply of water From all sources & consumption for various uses	:
5. Detail of Water Consumption per day / month	:
(a) Domestic Purpose	:
(b) Boiler / Cooling	:
(c) Industrial use (Easily Biodegradable)	:
(d) Industrial use (Non Easily Biodegradable)	:
(e) Other	:
(f) General Remarks	:

2825011/2023/IT_Cell

D. Water Pollution

1. Source & processes of Water Pollution including raw :
Water treatment if any :
2. No. of outlets for discharging of effluent :
3. Quantity of Effluent in KLD :
Domestic :
Trade :
Domestic :
Trade :
4. Status of Effluent Treatment Plant (ETP)/
Sewage Treatment Plant (STP)
(a) Required or Not :
(b) Installed or Not :
(c) Detail of STP/ETP Provided (if required) with
Detail of all components and technology used :
(d) Whether structurally adequate or not :
(e) Whether operating STP / ETP Satisfactorily :
(f) Whether provided online chemical dosing system/
pH meter :
5. Mode of Discharge of effluent :
Domestic :
Trade :
6. Name of Water recipient body if any :
7. Detail of land in case effluent is discharged for
Percolation / irrigation purpose with justification for
Its 100% utilization :
8. Status of ZLD as per CPCB directions if applicable :
9. Whether provided flow meters on outlet & inlet of
ETP / STP :
10. Whether provided separate electricity meter on
ETP / STP :
11. Whether maintained Log Book for consumption of
Electricity / Chemicals / Quantity of effluent :
12. Status of online monitoring System, if applicable :
13. General Remarks :
E. Hazardous Waste Management

1. Category of Hazardous Waste generated as per rules :
2. Type & Qty. of Hazardous Waste generated :
(i) Incinerable
(ii) recyclable
(iii) disposable
for landfill
(iv) Total :
3. Stock-Pile Quantity of Hazardous Waste :
4. Mode of Disposal & treatment of Haz. Waste :
5. Size of Hazardous waste storage site :
6. Display Board for Hazardous Waste at Factory Gate
Provided or not :
7. Whether agreement made with the service provider
for disposal of hazardous waste (If yes, give detail with
validity) :
8. Details of Hazardous Waste transported to service provider :
F. Hazardous Chemicals Handling & Management and PLI Act, 1991

1. List & Qty. of Hazardous chemical handled & used
(if any) with threshold quantity :
2. Whether prepared on site emergency plan and taken
Insurance policy under PLI Act, 1991 :
3. Name of insurer agency with date & validity of policy :
4. Whether Hazardous chemicals handling & storage
Facility is adequate :
5. Remarks:-

QW visited & found that unit has been dismantled from site. re
representation of unit found at site.

Signature of the representative of the unit

Name :
Designation :
Address :


No representation present at site

Signature of the Officer / Officers
of the Board who conducted the inspection

Name :
Designation : Harish Kumar, AEC

2825011/2023/IT_Cell

9143



9845

9144

2825011/2023/IT_Cell



9846

2825011/2023/IT_Cell

9145



9847

9146

2825011/2023/IT_Cell



9848

2825011/2023/IT_Cell

9142



91 48.

2825011/2023/IT_Cell



2825011/2023/IT_Cell

149

