

I/53354/2021



HARYANA STATE POLLUTION CONTROL BOARD
 Faridabad Region, Opp. Hewo Appmt., Sector-16A, Faridabad
Website: www.hspcb.gov.in, Email: hspcbrofr@gmail.com

**NO. HSPCB/FR/2021/****Dated:**

To

The Sr. Environmental Engineer -IT (HQ),
 Haryana State Pollution Control Board,
 Panchkula.

Sub: Regarding information of M/s MILAN STONE CRUSHING CO, PLOT NO 38 CRUSHING ZONE DHAUJ Faridabad having HROCMMS ID - 14FDBD1560119.

In this connection, it is submitted that the desired information as asked by your office.

| Sr. No. | Detail of Unit | Remarks |
|---------|--|--|
| 1. | Name & address of unit | M/s MILAN STONE CRUSHING CO, PLOT NO 38 CRUSHING ZONE DHAUJ Faridabad having HROCMMS ID - 14FDBD1560119. |
| 2. | HROCMMS ID | 14FDBD1560119 |
| 3. | Latitude & Longitude of unit | 28.317498, 77.245379 |
| 4. | Operational Status | Permanently closed |
| 5. | Status of consent/ authorization under HWM Rules | 01/04/2015 - 31/03/2017 |
| 6. | Request letter for permanent closure of unit, if available | Not submitted by the unit |
| 7. | Date of dismantling of unit if available | 16/07/2021 |
| 8. | Photographic evidence of dismantled unit, if available | Not available |
| 9. | Recommendation | The site was inspected by Sh. Ombir Singh, AEE on dated 16/07/2021 and found unit has dismantled its plant & machinery from the site. (Inspection Report attached) In view, it is recommended that the above said unit may be deleted from HROCMMS having ID no. 14FDBD1560119 as the unit is closed permanently. |

DA/as above

Signed by Smita Kanodia
 Date: 23-07-2021 17:18:15
 Reason: Approved

Regional Officer
Faridabad Region

874

HARYANA STATE POLLUTION CONTROL BOARD
SPOT INSPECTION REPORT OF THE INDUSTRIES

A General Information of unit

Milan Stone Crushing Co.
Plot No. 38, Crushing Zone Dhauj
Faridabad, Haryana.

- | | | | |
|----|---|---|------------------------------------|
| 1 | Name & Address of the unit | : | |
| 2 | Email id of the unit/ occupier | : | |
| 3 | Telephone Nos. | : | |
| 4 | Fax Nos. | : | |
| 5 | Date & Time of Inspection | : | 16/7/2021 |
| 6 | Category Unit | : | Red / Orange / Green |
| 7 | Type of Units | : | 17 Cat /Seriously Polluting/ other |
| 8 | Size of unit based upon investment cost of Plant & Machinery | : | Large / Medium / Small |
| 9 | Name of the representative of the unit with Designation present at the time of the inspection | : | |
| 10 | Name of the Directors/partners/Proprietor/ Manager/ Occupier etc. | : | |
| 11 | Detail of products /by product manufactured | : | |
| 12 | Detail of Raw Material used (with quantity per annum) | : | |
| 13 | Manufacturing Process (in brief) | : | |
| 14 | Detail of Machinery installed involving polluting process: | : | |
| 15 | Date of commissioning of unit | : | |
| 16 | Status of Consent to Establish | : | |
| 17 | Status of Consent to Operate | : | |
| 18 | Status of Authorization under HWM Rules | : | |

B Air Pollution

- | | | | |
|---|---|---|--|
| 1 | Sources of air emission from process of unit including Fugitive emission with type of Boilers / Furnace, Capacity & stack height. | : | |
| 2 | Status of online monitoring System (Stacks/ AAQ) If applicable | : | |
| 3 | Details about deviation in the details / stack of Air | : | |

- 875
- 4 Emission / type of fuel if any already with Board
 - 5 Detail of Stacks/ Chimney /Vents
 - 6 Whether Height of all stacks /Chimneys as per norms
 - 7 Capacity of D.G Sets
 - 8 Stack height of D.G Sets above programme and Whether as per norms
 - 9 Status of Acoustic Enclosure on D.G Sets
 - 10 Noise results of DG Sets Monitored during inspection
 - 11 Type & Quantity of Fuel used Separate for each source)
 - 12 Status of Air Pollution Control Devices (APCD)
 - (a) Required or Not
 - (b) Provided or Not
 - (c) Detail of APCD provided with detail of all Components.
 - (d) Whether Structurally adequate or Not
 - (e) Whether operating APCD Satisfactorily
 - 13 Whether provided separate flow meters in case of wet scrubber
 - 14 Whether maintained Log Book for consumption of / Chemicals / water for APCD.
 - 15 Detail of treatment of effluent in case of wet scrubber its mode of disposal.
 - 16 Whether provided Sampling arrangements on all stacks /chemneys including DG sets.
 - 17 General Remarks

C Water Consumption

- 1 Sources of water supply
- 2 Detail of measuring devices provided if any such as flow Meters, V- notch etc.
- 3 Whether measuring devices has been sealed
- 4 Whether maintained the log book for supply of water From all sources & consumption for various uses
- 5 Detail of Water Consumption per day / month
- (a) Domestic Purpose
- (b) Boiler / Cooling

876

- (c) Industrial use (Easily Biodegradable)
(d) Industrial use (Not Easily Biodegradable)
(e) Other

General Remarks

Water Pollution

Source & processes of Water Pollution Including
raw water treatment if any

No. of outlets for discharge of effluent

Quantity of Effluent in KLD

Status of Effluent Treatment Plant (ETP)/
Sewage Treatment Plant (STP)

(a) Required or Not:

(b) Installed or Not

(c) Detail of STP / ETP Provided (if required) with
Detail of all components and technology used

(d) Whether structurally adequate or Not

(e) Whether operating STP/ETP Satisfactorily

(f) Whether provided online chemical dosing system/
pH meter

Mode of Discharge of effluent

Name of Water recipient body if any

Detail of land in case effluent is discharged for
Percolation / irrigation purpose with justification for
Its 100% utilization.

Status of ZLD as per CPCB directions if applicable

Whether provided flow meters on outlet & inlet on
ETP/ STP

Whether provided separate electricity meter on
ETP/ STP

Domestic

Trade

Domestic

Trade

STP

ETP

Domestic

Trade

877

- 11 Whether maintained Log Book for consumption of Electricity / Chemicals / Quantity of effluent.
- 12 Status of online monitoring System, if applicable
- 13 General Remarks

Hazardous Waste Management


- 1 Category of Hazardous Waste generated as per Rules :
- 2 Type & Qty. of Hazardous Waste generated : (i) Incinerable
(ii) Recyclable
(iii) Disposable for landfill
(iv) Total.
- 3 Stock-pile Quantity of Hazardous Waste :
- 4 Mode of Disposal & treatment of Haz. Waste :
- 5 Size of Hazardous waste storage site :
- 6 Display board for Hazardous Waste at Factory Gate Provided or Not :
- Whether agreement made with the service provider For disposal of Hazardous waste (if yes, give detail with Validity) :
- Details of Hazardous Waste transported to service Provider :
- Hazardous Chemicals Handling & Management and PLI Act, 1991**
- List & Qty. of Hazardous chemical handled & used (if any) with threshold quantity :
- Whether prepared on site emergency plan and taken Insurance Policy under PLI Act, 1991 :
- Name of insurer agency with date & validity of policy :
- Whether Hazardous chemicals handling & storage :

Facility is adequate

Remarks

The said unit was visited by the undersigned on date 16/07/2021 and found dismantled from site.

Signature of the representative of the unit
Designation & Address
Location


Signature of the Officer / Officers
of the Board who conducted the

Name & Designation
Ombar Singh, AEE
Faridabad Region